

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 04/07/03		2. REPORT TYPE Final Technical		3. DATES COVERED (From - To) 04/01/98 - 9/30/01	
4. TITLE AND SUBTITLE Peptide Nanofilament Engineering				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER N00014-98-1-0531	
				5c. PROGRAM ELEMENT NUMBER 335	
				5d. PROJECT NUMBER 00PR00966-00	
6. AUTHOR(S) Alexander Rich, P.I. Shuguang Zhang, Co-P.I.				5	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Massachusetts Institute of Technology Department of Biology, Room 68-233 77 Massachusetts Ave., Cambridge, MA 02139-4307 USA				20030801 161	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research Program Officer, ONR 335 Ballston Centre Tower One 800 North Quincy St., Arlington, VA 22217-5660				10. SPONSOR/MONITOR'S ACRONYM(S) ONR	
				11. SPONSORING/MONITORING AGENCY REPORT NUMBER	
12. DISTRIBUTION AVAILABILITY STATEMENT Approved for Public Release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT <p>This laboratory has studied four systems involving molecular self-assembly during this project period. Each system will open a new avenue of research in developing novel applications for use in biomedical engineering and materials science. These systems include self-assembling oligopeptides that form stable beta sheets in water, peptides that form inter- and intramolecular self-assemblies, peptides that spontaneously assemble onto a surface to form monolayers and finally peptides that condense and encapsulate DNA to facilitate highly efficient gene delivery.</p>					
15. SUBJECT TERMS self-assembling peptide systems ionic oligopeptides beta-sheet matrix					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE		9	Alexander Rich
				19b. TELEPHONE NUMBER (include area code) 617-253-4715	

Final Technical Report to the Office
of Naval Research

Peptide Nanofilament Engineering

Grant N00014-98-1-0531

Funding Period: April 1 1998-Sept. 30, 2001

by

Alexander Rich (PI) & Shuguang Zhang (Co-PI)

Department of Biology & Center for Biomedical Engineering

MIT

Tel: 617-253-4715, 617-258-7514

FAX: 617-253-8699, 617-258-0204

cbeckman@MIT.EDU, Shuguang@MIT.EDU,

Molecular self-assembly is a powerful tool to create novel biological materials. In our laboratory, we use fragment of proteins and de novo designed peptides to produce a diverse of functional biological materials. Four distinctive systems have been studied so far. Each opens a new avenue of research areas with a tremendous opportunity to produce novel materials for a number of applications in materials science and biomedical engineering.

One of the self-assembly peptide systems mainly form hydrogels and matrices through complementary intermolecular interactions. The molecular structure of these self-assembling peptides consists of two distinctive faces of alternating ionic hydrophilic and hydrophobic amino acid residues. The side chains of these oligopeptides consist of repetitive positively charged residues, arginine and lysine, and negatively charged residues, glutamate and aspartate, on the hydrophilic face. The alanines and other hydrophobic residues are on the other face. A defining characteristic of this oligopeptide class is that their charged side chains can form complementary ionic bonds. In most cases, these oligopeptides form exceedingly stable beta-sheets in water. The ionic complementary oligopeptides have been classified into several modulus, i.e. modulus I, II, III, IV, etc., and mixed moduli. This classification is based on the ionic surface of the molecules which have alternating + and - charged amino acid residues, either alternating by 1, 2, 3, 4 and so on. For example, molecules of modulus I have the ionic arrangement - + - + - + - +, of modulus II - - + + - - + +, and modulus IV - - - - + + + + or the reversed charge orientation. Such a systematic analysis also show that modulus I peptides $(- +)_n$ are somewhat less stable than those of modulus II peptides $(- - + +)_n$.


These ionic beta-sheet peptides can undergo self-assembly to form macroscopic biological materials and can be readily stained with Congo Red. This class of biological materials represent a new generation of biological materials and is now being further developed as scaffolding for tissue engineering. The peptides of the second self-assembly system form both intermolecular and intramolecular self-assemblies. When the peptides are in the beta-sheet structure, their backbone is fully extended. They undergo intermolecular self-assembly through both the side chain interactions and backbone hydrogen bonding interaction. Whereas, when the beta-sheet lattice is disrupted by heat or change of pH, these peptides transform into an intramolecular self-assembly to form stable monomeric helices, namely a spring-like structure. The peptides of the third self-assembly system spontaneously assemble onto surface to form monolayers, thereby modify the surface properties for a number of biological applications, much like creating different texture and patterns of carpeted floors. Furthermore, we also designed a variety of simple and complex geometric patterns to create unique connections to ask some fundamental biological questions. The peptides of forth self-assembly system spontaneously bind with DNA and RNA. The peptides can condense and encapsulate DNA for high efficient gene delivery. Additional peptide self-assembly systems are being developed currently in the laboratory.

Molecular Switches

The second self-assembling peptide system of an ionic self-complementary oligopeptides that transform from a beta-sheet to an alpha-helix under stimuli of temperature and pH changes has been studies more in detail with additional examples. These oligopeptides are derivatives of first class of self-assembling ionic oligopeptides, now classified as Type II. In addition of having two distinctive faces with regular repeats of alternating ionic hydrophilic and hydrophobic side chains,

they also have an orientation of charges. A defining characteristic of this class of peptide molecular switch is that there is a cluster of positively charged arginine or lysine locating toward the C-terminus and the negatively charged glutamate and aspartate locating toward the N-terminus of the ionic oligopeptides. Such an arrangement of charge clusters balances the alpha-helical dipole moment (C-terminus-->N-terminus), promotes and stabilize helical formation. The compositions of both aspartate-alanine-arginine (DAR) and glutamate-alanine-lysine (EAK) are effective acting as a molecular switch in structural transformation. Changes of the orientation of the charged clusters and a single alteration or substitution of a charged residue completely hinder the direct structural transition. Furthermore, the substitutions also abolish the capability of peptide self-assembly for matrix formation. The length change accompanying the structural changes is approximately twofold, in our cases, 2 to 4 nm or 2.5 to 5 nm, thus such change is analog to an on/off molecular switch. Such findings could be further developed for biological sensors and molecular detection devices. Developing of a self-assembly nanotechnology using this type of ionic peptides for coating to metallic and polymer surfaces may produce a new generation of integrated organic/inorganic

nanobiological materials for a broad range of applications.



Peptide-Nanotubes

Several new types of biomaterials has already shown considerable potential in a number of applications such as scaffolding for tissue engineering, peptide medicine and biological surface engineering and thus may be well adapted for the goals of drug delivery. Based on our expertise, we recently design a new type of short oligopeptides whose properties closely mimic those found in surfactant molecules. The objective being to form new self-assembled nanostructures, very similar to those observed in surfactant solutions. It is well known that most surfactants are amphiphilic molecules that tend to aggregate in order to isolate the hydrocarbon chain from the contact with water. The common feature for this self-association is the formation of a polar interface, which separates the hydrocarbon and water regions. Perhaps the most common structure formed in water is the spherical micelle consisting of typically 50-100 lipid molecules arranged so that their hydrocarbon tails form the interior of the micelle, and the polar head groups act as a shield against the surrounding water. The micelle, however, is only one of many

aggregate types formed. Depending on the surfactant and its concentration, various structures are found, including liposomes, lamellar phase, hexagonal and cubic structures. Among the later, liposomes have attracted a particular interest due to its potential utility for conventional drug delivery.


The initial results based on the self-assembly of short amphiphilic oligopeptides have shown very defined structures of about 50 nm. It has also been observed that these self-assembled structures can be modified by external parameters such as pH. Moreover, an adequate design of the peptide allows fine-tuning the self-assemblies properties, giving a high flexibility for various potential applications. Regarding these different issues, the development of controllable and reproducible liposomal systems for systematic drug delivery system has been relatively ineffective. In this context, it is strongly believed that structures based on oligopeptides self-assemblies may have the ability to entrap and deliver molecules with a high degree of efficiency and thus could open innovative avenues for novel drug/gene delivery systems.



Molecular Self-assembly of Peptide into Nanofiber Structures

A class of ionic self-complementary oligopeptides had previously been shown to form β -sheet structures in aqueous solution that, in the presence of monovalent alkaline salts, spontaneously self-assemble to form macroscopic matrices. We now show that FKFEFKFE, a peptide of this class, self-assembles into well-ordered helical nanofiber structures in pure water. The self-assembly process has been monitored

at different incubation times via adsorption on mica and graphite and imaged with atomic force microscopy. These nanofibers in the early stages of incubation look like helical ribbons with a periodicity of ca. 20 nm and a diameter of ca. 8 nm. These features resemble those of β -Amyloid fibers. This finding has significant implication in producing new functionalities for a wide variety of nanomaterials.



Publications:

- Shuguang Zhang, Lin Yan, Michael Altman, Michael Lässle, Helen Nugent, Felice Frankel, Douglas A. Lauffenburger, George Whitesides, & Alexander Rich (1999) Biological surface engineering: A simple system for tissue cell pattern formation. *Biomaterials* **20**, 1213-1220.
- Shuguang Zhang & Michael Altman (1999) Self-assembling peptides in biopolymer science & engineering, *Reactive and Functional Polymers* **41**, 91-102.
- Aggeli, A., Boden, N. & Zhang, S (1999) Two Sides of the Coin: Self-Assembling Peptide Systems in Biology, Medicine and Engineering *Molecular Medicine Today*, **5**, 512-513.
- Schwartz, J. & Zhang, S. (2000) Peptide-mediate cellular delivery. *Current Opinion in Molecular Therapeutics* **2**, 162-167.
- Holmes, T. Delacalle, S., Su, X., Rich, A. & Zhang, S. (2000) Extensive neurite outgrowth and active neuronal synapses on peptide scaffolds *Proc. Natl. Acad. Sci. USA* **97**, 6728-6733.
- Altman, M., Lee, P., Rich, A. & Zhang, S. (2000) Conformational behavior of ionic self-complementary peptides *Protein Science* **9** 1095-1105.

- Caplan, M. Moore, P., Zhang, S., Kamm, R. & Lauffenburger, D. (2000) Self-assembly of a beta-sheet oligopeptide is governed by electrostatic repulsion. *Biomacromolecules* **1**, 627-631.
- Zhang, S. (2001) Molecular self-assembly. *Encyclopedia of Materials: Science & Technology*, Elsevier Science, Oxford, UK, pp. 5822-5829.
- Zhang, S. & Altman, M. (2001) Self-assembling peptide systems in biology, engineering and medicine. Crete Meeting proceedings (Ed. Aggeli, A., Boden, N. & Zhang, S.) Kluwer Academic Publishers, Dordrent, The Netherlands, pp. 343-360.
- Zhang, S. Altman, M. & Rich, A. (2001) Structural plasticity of peptides and proteins. IN: *Diseases of Conformation—A Compendium*, Ed. Katzir, E. Solomon, B. & Taraboulos, A. pp. 63-72.
- Caplan, M., Schwartzfarb, E., Zhang, S., Kamm, R., Lauffenburger, D., (2002) Control of self-assembling oligopeptide matrix formation through systematic variation of amino acid sequence, *Biomaterials* **23**, 219-227.
- Zhang, S. & Janciauskiene, S. (2002) Multi-functional capability of proteins: Alpha 1-antichymotrypsin and the correlation with Alzheimer's disease. *J. Alzheimer's Disease* **4**, 115-122.